

# SHASTA COUNTY AIR QUALITY MANAGEMENT DISTRICT

## **RULE 2:11 - FEES**

*(Amended 7-22-86, 7-28-87, 4-10-90, 1-5-93, 4-12-94, 7-17-01, and 8-24-04)*

### a. Device or Facility

#### 1. General Permit Information

Pursuant to Rules 2:1 and 2:1A, every application for or modification to an Authority to Construct or Permit to Operate shall be accompanied by a non-refundable filing fee of \$75.

In the event that a source is constructed or modified without first obtaining an Authority to Construct as stated in Rule 2:1A, the filing fee shall be \$150. All applicants for an Authority to Construct shall pay to the Air Quality Management District (AQMD) an amount equal to that specified in Rule 2:11.a.(3)(e) for each hour of staff time expended in excess of two (2) hours to cover the costs of all aspects of the preparation and issuance of the Authority to Construct.

Any applicant who has an Authority to Construct application pending before the Air Pollution Control Officer (APCO) on the date of this rule adoption shall pay the aforementioned fee beginning as of the date of rule adoption.

Every application submitted pursuant to Rule 2:21 shall pay a non-refundable transfer fee of \$15. (Amended 4-10-90)

#### 2. Specific Permit Fees

Before a Permit to Operate is issued or renewed as stated in Rule 2:1A.b., a non-refundable permit fee shall be paid to the Shasta County AQMD according to the following permit fee schedule:

<u>Device/Category</u>	<u>Fee</u>
a) Air Conveyance Control Device	
1) Cyclone	
(i) $\leq 30,000$ scfm	\$ 150
(ii) $> 30,000$ scfm	224
2) Baghouse	376
3) Electrostatic Precipitator	376
4) Wet Scrubber	376
5) Dry Scrubber	376
6) Packed Tower	376
7) Afterburner	376
8) Absorption Device	300
9) Multiclone/Fly Ash Reinject	376

## 10) Thermal De NOx System

376

## b) Asphalt Batch Plant (Maximum Design Rating)

1) $\leq 100$ tons/hour	\$ 826
2) $>100 - \leq 250$ tons/hour	976
3) $>250 - \leq 500$ tons/hour	1,126
4) $>500$ tons/hour	1,276

## c) Asphalt Storage Facility

224

d) Fuel Combustion Devices (Boilers, etc.;  $10^6$  BTU/hour, Maximum Design Rating)

1) 15 or less	\$ 150
2) $>15 - \leq 30$	224
3) $>30 - \leq 45$	500
4) $>45 - \leq 60$	750
5) $>60 - \leq 75$	1,000
6) $>75 - \leq 100$	1,126
7) $>100 - \leq 250$	1,276
8) $>250 - \leq 500$	1,426
9) More than 500	1,576

## e) Cement Batch Plant

\$ 376

f) Kilns ( $10^6$  BTU/hour, Maximum Design Rating)

1) 100 or less	\$ 676
2) $>100 - \leq 200$	826
3) $>200 - \leq 500$	1,126
4) More than 500	1,276

## g) Charcoal/Carbon Manufacturing Furnace

\$ 626

## h) Dryers

1) Plywood Veneer	\$ 250
2) All Others	150

## i) Gasoline Marketing (Retail/Wholesale; gallons per year)

	Aboveground	Underground
1) 50,000 gal/yr or fewer	\$ 30	\$ 27
2) $>50,000 - \leq 100,000$ gal/yr	60	54
3) $>100,000 - \leq 500,000$ gal/yr	112	101
4) $>500,000 - \leq 1,000,000$ gal/yr	131	118
5) $>1,000,000 - \leq 1,500,000$ gal/yr	150	135
6) More than 1,500,000 gal/yr	169	152

- 7) Gasoline marketing facilities required to install Phase II Vapor Recovery controls at the dispenser shall be assessed an annual permit fee based upon the number of gasoline dispensing nozzles (per nozzle):  
 Aboveground: \$20      Underground: \$18  
 (Amended 1/5/93)
- j) Incinerators/Remelt Furnaces, Pathological, Cremation Retorts, Burnout Ovens, etc. Maximum Horizontal Cross Sectional Area Ft<sup>2</sup> of Primary Combustion Chamber
- |                  |        |
|------------------|--------|
| 1) 50 or less    | \$ 150 |
| 2) >50 - ≤100    | 224    |
| 3) More than 100 | 300    |
- k) Industrial/Commercial Surface Coating Operations (gallons per year)
- |                           |        |
|---------------------------|--------|
| 1) 1,000 gal/yr or fewer  | \$ 150 |
| 2) More than 1,000 gal/yr | 224    |
- l) Air Exhausts/Vents \$ 224
- m) Volatile Organic Compound Substance Use (gallons per year)
- |                          |        |
|--------------------------|--------|
| 1) 1500 gal/yr or fewer  | \$ 300 |
| 2) More than 1500 gal/yr | 450    |
- n) Fiberglass Resin Usage (tons per year)
- |                           |        |
|---------------------------|--------|
| 1) 50 tons/year or fewer  | \$ 300 |
| 2) More than 50 tons/year | 450    |
- o) Mineral Processing - Rock Crushing / Screening (Maximum Design Rating)
- |                               |        |
|-------------------------------|--------|
| 1) 100,000 tons/year or fewer | \$ 376 |
| 2) >100,000 - <               |        |